

S55	2	( "4,575712").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 13:36
S56	110	(719/314).CCLS.	USPAT; USOCR	OR	OFF	2006/02/01 13:36
S57	150	(719/314).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 13:36
S58	0	S57 & ( queue\$1 same (indicator\$1 or flag\$3) same redirect\$3)	USPAT	OR	OFF	2006/02/01 13:37
S59	0	S57 & ( queue\$1 same (indicator\$1 or flag\$3) same redirect\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 13:37
S60	29	S57 & ( queue\$1 same (indicator\$1 or flag\$3) )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 17:36
S61	6	S57 & ( queue\$1 same (indicator\$1 or flag\$3) same direct\$3 )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 13:44
S62	25	S57 & ( queue\$1 with (indicator\$1 or flag\$3) )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 17:57
S63	29	S57 & ( queue\$1 same (indicator\$1 or flag\$3) )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 14:19
S64	52	S57 & ( queue\$1 & (indicator\$1 or flag\$3) )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 14:21

S65	87	S57 & ( queue\$ same (indicat\$6 or flag\$3) )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 14:21
S66	72	S57 & ( queue\$ with (indicat\$6 or flag\$3) )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 15:29
S67	15	S57 & ( queue\$ with (indicat\$6 or flag\$3) same status )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 15:43
S68	26	S57 & ( queue\$ same (indicat\$6 or flag\$3) same status )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 14:41
S69	1	"4922503".PN.	USPAT; USOCR	OR	OFF	2006/02/01 14:37
S70	1	"5430850".PN.	USPAT; USOCR	OR	OFF	2006/02/01 14:37
S71	1	"5737525".PN.	USPAT; USOCR	OR	OFF	2006/02/01 14:38
S72	1	"5864738".PN.	USPAT; USOCR	OR	OFF	2006/02/01 14:38
S73	6	S57 & ( queue\$ same (indicat\$6 or flag\$3) same track\$3 )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 17:16
S74	4	S57 & ( queue\$ & (indicat\$6 or flag\$3) with track\$3 )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 14:58
S75	7	S57 & ( queue\$ with status same table\$1 )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 15:30

S76	0	S57 & ( queue\$ same table\$1 same redirect\$3 )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 15:30
S77	8	S57 & ( queue\$ same table\$1 same direct\$3 )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 15:31
S78	6	S57 & ( queue\$ same locat\$3 same status )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 15:42
S79	17	S57 & ( ( identif\$3 or determin\$3) with queue\$ same status )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 15:56
S80	2965	( queue\$ with (indicat\$6 or flag\$3) same status )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 15:44
S81	237	( queue\$ with (indicat\$6 or flag\$3) same status ).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 15:45
S82	9	( queue\$ with (indicat\$6 or flag\$3) same status same track\$3 ).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 15:49
S83	17	( queue\$ same (indicat\$6 or flag\$3) same status same track\$3 ).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 15:50

S84	30	S57 & ( ( indicat\$6 or flag\$3) near6 status )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 15:56
S85	102	S57 & ( ( identif\$3 or determin\$3) with queue\$1 )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 15:56
S86	90	S57 & ( ( identif\$3 or determin\$3) with queue\$1 & ( indicat\$3 or flag\$3) )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 15:57
S87	2	S57 & ( ( identif\$3 or determin\$3) with queue\$1 & ( indicat\$3 or flag\$3) same organiz\$3 )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 15:58
S88	721	(( identif\$3 or determin\$3) with queue\$1 & ( indicat\$3 or flag\$3) same organiz\$3 )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 15:58
S89	38	(( identif\$3 or determin\$3) with queue\$1 same( indicat\$3 or flag\$3) same organiz\$3 )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 16:00
S90	2900	(( identif\$3 or determin\$3) with queue\$1 with ( indicat\$3 or flag\$3) )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 16:01
S91	41	(( identif\$3 or determin\$3) with queue\$1 with ( indicat\$3 or flag\$3) with correspond\$3 )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 16:56

S92	496	(( identifi\$3 or determin\$3) with queue\$1 with correspond\$3 )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 17:08
S93	20	(( identifi\$3 or determin\$3) with queue\$1 with correspond\$3 ).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 16:57
S94	11	(( identifi\$3 or determin\$3) with queue\$1 with correspond\$3 ) same track\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 17:59
S95	321	(( identifi\$3 or determin\$3) near6 queue\$1 with correspond\$3 )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 17:13
S96	24693	(queue\$1).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 17:13
S97	185	S95 & S96	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 17:14
S98	174	(queue\$1 same organiz\$3 ).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 17:15
S99	3	S95 & S98	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 17:14

S10 0	5	(queue\$1 with organiz\$3 with ( identif\$3 or determin\$3 or select\$3 ) same correspond\$3 )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 17:15
S10 1	134	S57 & ( (indicat\$6 or flag\$3) )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 17:18
S10 2	7	S57 & ( (indicat\$6 or flag\$3) & queue\$1 ).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 17:19
S10 3	7	S57 & ( (indicat\$6 or flag\$ or valid\$3 ) & queue\$1 ).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 17:21
S10 4	14	( "5732080" )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 17:58
S10 5	2	( "5732080" ).pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 17:58
S10 6	102	S57 & ( ( identif\$3 or determin\$3 ) with queue\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 17:59
S10 7	103	S57 & ( ( identif\$3 or determin\$3 or select\$3 ) with queue\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 18:02

S108	94	S57 & ( ( identif\$3 or determin\$3 or select\$3 ) near6 queue\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 18:02
S109	35	S57 & ( ( identif\$3 or determin\$3 or select\$3 ) near6 queue\$1) same ( indicat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 18:06
S110	81	S57 & ( ( identif\$3 or determin\$3 or select\$3 ) near6 queue\$1) & ( indicat\$3 or flag\$3 )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 18:09
S111	84	S57 & ( ( identif\$3 or determin\$3 or select\$3 ) near6 queue\$1) & ( indicat\$3 or flag\$3 or mark\$3 or status\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 18:13
S112	45	S57 & ( ( identif\$3 or determin\$3 or select\$3 ) near6 queue\$1) same ( indicat\$3 or flag\$3 or mark\$3 or status\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 18:10
S113	80	S57 & ( queue\$1) with ( indicat\$3 or flag\$3 or mark\$3 or status\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 18:24
S114	20	S57 & ( queue\$1) with ( locat\$3 or allocat\$3) same ( indicat\$3 or flag\$3 or mark\$3 or status\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 18:25
S115	45	S57 & ( queue\$1) near6 ( locat\$3 or allocat\$3) & ( indicat\$3 or flag\$3 or mark\$3 or status\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 18:27

S11 6	1525	( queue\$1) near6 ( locat\$3 or allocat\$3) with ( indicat\$3 or flag\$3 or mark\$3 or status\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 18:27
S11 7	74	( queue\$1) near6 ( locat\$3 or allocat\$3) with ( indicat\$3 or flag\$3 or mark\$3 or status\$1) same correspond\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 18:38
S11 8	2	( "6,473424" B1).pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 18:31
S11 9	5	( queue\$1) near6 ( locat\$3 or allocat\$3) with ( indicat\$3 or flag\$3 or mark\$3 or status\$1) same correspond\$3 same track\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 18:36
S12 0	53	( queue\$1) near6 ( locat\$3 or allocat\$3) with ( indicat\$3 or flag\$3 or mark\$3 or status\$1) same correspond\$3 & ( error of normal\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 18:37
S12 1	15	( queue\$1) near6 ( locat\$3 or allocat\$3) with ( indicat\$3 or flag\$3 or mark\$3 or status\$1) with correspond\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 18:39
S12 2	7164	( queue\$1).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 18:39
S12 3	9	S120 & S122	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 18:40

S12 4	17	S117 & S122	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 18:40
----------	----	-------------	---	----	-----	------------------